



TruBend Series 5000

Technical data



TruBend Series 5000

Bending machines

Technical data

	TruBend 5085	TruBend 5130	TruBend 5170	
PRESS FORCE		850 kN	1300 kN	1700 kN
BENDING LENGTH		2210 mm	3230 mm	3230 mm
WIDTH BETWEEN COLUMNS		1750 mm	2690 mm	2690 mm
USABLE OPEN HEIGHT		385 mm	385 mm	-
USABLE OPEN HEIGHT FOR ENLARGED VERSION (OPTION)		615 mm	615 mm	615 mm
THROAT DEPTH		420 mm	420 mm	420 mm
USER INTERFACE		Touchpoint TruBend	Touchpoint TruBend	Touchpoint TruBend
MAX. WORKING SPEED		25 mm/s	25 mm/s	25 mm/s
RAPID SPEED		220 mm/s	220 mm/s	220 mm/s
DIMENSIONS				
LENGTH	3020 mm	3980 mm	3980 mm	
WIDTH	1800 mm	1800 mm	1900 mm	
HEIGHT	2375 mm	2375 mm	3000 mm	
	TruBend 5230	TruBend 5320		

Subject to changes. The details in our offer and order confirmation are definitive.



TruBend Series 5000

Bending machines

Technical data

	TruBend 5230	TruBend 5320
PRESS FORCE	2300 kN	3200 kN
BENDING LENGTH	3230 mm	4420 mm
WIDTH BETWEEN COLUMNS	2690 mm	3680 mm
USABLE OPEN HEIGHT	-	-
USABLE OPEN HEIGHT FOR ENLARGED VERSION (OPTION)	615 mm	615 mm
THROAT DEPTH	420 mm	420 mm
USER INTERFACE	Touchpoint TruBend	Touchpoint TruBend
MAX. WORKING SPEED	25 mm/s	25 mm/s
RAPID SPEED	220 mm/s	220 mm/s
DIMENSIONS		
LENGTH	4150 mm	5180 mm
WIDTH	2055 mm	2055 mm
HEIGHT	3200 mm	3200 mm

Subject to changes. The details in our offer and order confirmation are definitive.